LIGHTING SUPPORTS & STUDIO ACCESSORIES

Manfrotto®

Art. 012 - BACKLITE STAND

Diameter of base: 60 cm
Min. height: 9 cm
Max. height: 85 cm
Weight: 1,32 Kg
Attachments: on base, type ① and SPIGOT 013
on pole, type ⑱ ⑲

Other versions:
003 - BACKLITE BASE, base only with SPIGOT 013.
Weight: 1 Kg
122 - POLE FOR BACKLITE. Weight: 0,32 Kg

Art. 001 - NANO STAND

5 section pole: ∅ 25, 22, 19, 16 and 13 mm
Solid flat legs 15×5 mm
Closed length: 48 cm
Diameter of base: 100 cm
Min. height: 49 cm
Max. height: 190 cm
Weight: 0,93 Kg
Load, approx.: 1,5 Kg.
Attachment: type ⑲

Art. 060 - SMALL STAND

4 section pole: ∅ 25, 22, 19 and 16 mm
Solid flat legs 15×5 mm
Closed length: 66.5 cm
Diameter of base: 94 cm
Min. height: 67 cm
Max. height: 240 cm
Weight: 1,04 Kg
Load, approx.: 1,5 Kg
Attachment: type ⑲

Art. 156 - MINI-PRO STAND

4 section pole: ∅ 25, 22, 19 and 16 mm
∅ of legs: 16 mm
Closed length: 66,5 cm
Diameter of base: 94 cm
Min. height: 67 cm
Max. height: 240 cm
Weight: 1,1 Kg
Load, approx.: 2 Kg.
Attachment: type ⑲

Art. 051 - MINI COMPACT STAND

4 section pole: ∅ 25, 22, 19 and 16 mm
∅ of legs: 19 mm
Closed length: 67 cm
Diameter of base: 93 cm
Min. height: 69 cm
Max height: 240 cm
Weight: 1,12 Kg
Load, approx.: 4 Kg
Attachment: type ⑲

Art. 052 - COMPACT STAND

3 section pole: ∅ 25, 22 and 19 mm
∅ of legs: 19 mm
Closed length: 86 cm
Diameter of base: 109 cm
Min. height: 88 cm
Max. height: 250 cm
Weight: 1,28 Kg
Load, approx.: 5 Kg
Attachment: type ⑲

017

Art. 053
GIANT STAND

6 section pole: ∅ 28, 25, 22, 19, 16 and 13 mm
∅ of legs: 22 mm
Closed length: 98 cm
Diameter of base: 108 cm
Min. height: 100 cm
Max. height: 520 cm
Weight: 1,92 Kg
Load: variable with height, max. 1 Kg at full extension
Attachment: type ⑲

018

Art. 002
PRIMO STAND

3 section pole: ∅ 30, 25 and 20 mm
∅ of legs: 16 mm
Closed length: 90 cm
Diameter of base: 100 cm.
Min. height: 90 cm
Max. height: 240 cm
Weight: 1,47 Kg
Load, approx.: 5 Kg
Attachment: type ⑲

Art. 004
MASTER STAND

4 section pole: ∅ 35, 30, 25 and 20 mm
∅ of legs: 22 mm
Closed length: 107 cm
Diameter of base: 109 cm
Min. height: 109 cm
Max. height: 385 cm
Weight: 2,15 Kg
Load, approx.: 9 Kg.
Attachment: type ⑲

156:00

018

Art. **005**
RANKER STAND

3 section pole: ∅ 35, 30 and 25 mm
∅ of legs: 22 mm
Closed length: 101 cm
Diameter of base: 109 cm
Min. height: 103 cm
Max. height: 290 cm
Weight: 2,05 Kg
Load, approx.: 10 Kg
Attachment: type ④
and SPIGOT 013

150:00

018

Art. **007U**
ALU-CINE STAND

3 section pole: ∅ 35, 30 and 25 mm.
Adjustable levelling on one leg
∅ of legs: 22 mm
Closed length: 122 cm
Diameter of base: 118 cm
Min. height: 124 cm
Max. height: 315 cm
Weight: 3 Kg
Load, approx.: 12 Kg
Attachment: type ⑭

109
110
110G

Art. **008U**
CINE STAND

Chromium plated steel stand
complete with wheels 109.
2 section pole: ∅ 35 and 30 mm
Adjustable levelling on one leg
∅ of legs: 22 mm
Closed length: 116 cm
Diameter of base: 118 cm
Min. height: 118 cm
Max. height: 220 cm
Weight: 7,5 Kg
Load, approx.: 30 Kg
Attachment: type ⑭

Other versions:
008XU - CINE STAND INOX
Same as 008U in stainless steel

109
110
110G

Art. **126U**
HEAVY DUTY STAND

Chromium plated steel stand
3 section pole: ∅ 40, 35 and 30 mm
Adjustable levelling on one leg
∅ of legs: 22 mm
∅ of base: 126 cm
Closed and min. height: 131 cm
Max. height: 327 cm
Weight: 8,3 Kg
Load, approx.: 40 Kg
Attachment: type ⑭

109
110
110G



Art. **111U**
TALL CINE STAND

Chromium plated steel stand
3 section pole: ∅ 35, 30 and 25 mm
Adjustable levelling on one leg
∅ of legs: 22 mm
Closed length: 155 cm
Diameter of base: 102 cm
Min. height: 146 cm
Max. height: 380 cm
Weight: 9 Kg
Load, approx.: 25 Kg
Attachment: type ⑭

103
104
104G



Art. **070U**
FOLLOW SPOT STAND

Chromium plated centerpost
in 2 sections
∅ 50 e 40 mm
Aluminium base ∅ 109 cm
∅ legs: 30 mm
One levelling leg
Closed: 105 cm
Min. height: 88 cm
Max. height: 147 cm
Weight: 6,8 Kg
Load, approx.: 40 Kg
Memory collar
Attachment: type ⑥

103
104
104G

Art. **297**
STEEL STUDIO STAND

Chromium plated steel stand in 2
sections: ∅ 35 and 30 mm
One levelling leg.
Diameter of the base: 100 cm
Closed: 120 cm
Min. height: 123 cm
Max. height: 207 cm
Weight: 6,8 Kg
Load, approx.: 20 Kg
Fitted with casters.
Attachment: type: ⑭

Art. **298**
ALU-STUDIO STAND

3 section pole: ∅ 35, 30 and 25 mm
One levelling leg.
Diameter of the base: 100 cm
Closed: 125 cm
Min. height: 129 cm
Max. height: 300 cm
Weight: 6 Kg
Load, approx.: 15 Kg
Fitted with casters.
Attachment: type ⑭



Art. **299**
FOLDING BASE STUDIO STAND

3 section pole:
∅ 35, 30 and 25 mm
One levelling leg.
Closed: 105 cm
Diameter of the base: 75 cm
Min. height: 108 cm
Max. height: 208 cm
Weight: 4,8 Kg
Load, approx.: 12 Kg
Fitted with casters.
Attachment type ④
and spigot 013





Art. 083LB
LOW BASE WIND-UP STAND

Geared centerpost steel stand.
2 section pole: ⌀ 50 and 45 mm
One levelling leg.
Diameter of the base: 100 cm
Closed: 112 cm
Min. height: 115 cm
Max. height: 191 cm
Elevation: 2,2 cm per handle turn.
Weight: 11 Kg
Load approx: 35 Kg
Fitted with braked wheels.
Attachment: type ⑥



Art. 263
MEMORY COLLAR FOLDING BASE STAND

Chromium plated centerpost
in 2 sections ⌀ 35 and 30 mm
One levelling leg.
Diameter of the base: 99 cm
Closed: 124 cm
Min. height: 127 cm
Max. height: 228 cm
Load, approx.: 20 Kg
Attachment: type ⑥



Art. 098 - WALL BOOM

Wall mounted boom arm - 2 section shaft: ⌀ 35 and 29 mm - Rotation: 160° vertically and 180° horizontally - Min. extension: 120 cm
Max. extension: 210 cm - Weight: 2,3 Kg
Attachment: type ㉕
and SPIGOT 013.
Load, at full extension, shaft horizontal: 4.5 Kg

Art. 098SH
WALL BOOM, SHORTER

Same as 098 except:
Min. extension: 70 cm
Max. extension: 122 cm
Weight: 2 Kg
Load: 5 Kg



Art. 085 - LIGHT BOOM 35

⌀ 35 mm, 3 section boom, complete with pivoting clamp 123, G-PESO 022, CINE 008 stand with casters, cable clips and locking key.
Dismantled length: 100 cm
Assembled: 280 cm
Weight: 16,4 Kg including stand.
Attachment: type ㉕
and SPIGOT 013



Art. 270U
SUPER STAND STEEL

Chromium plated steel stand.
4 section pole:
⌀ 50, 45, 40 and 35 mm.
Adjustable levelling on one leg.
⌀ of legs: 30 mm.
Closed length: 144 cm
Diameter of base: 167 cm
Min. height: 144 cm
Max. height: 455 cm
Weight: 13,5 Kg.
Load, approx.: 40 Kg
Attachment: type ⑭



Art. 269U
SUPER STAND ALU

4 section pole: ⌀ 50, 45, 40 and 35 mm.
Adjustable levelling on one leg.
⌀ of legs: 30 mm.
Closed length: 144 cm.
Diameter of base: 167 cm.
Min. height: 144 cm
Max height: 455 cm
Weight: 8 Kg
Load, approx.: 35 Kg
Attachment: type ⑭

103
104
104G



Art. 083U
WIND-UP STAND

Chromium plated steel stand with geared column
2 section pole: ⌀ 50 and 45 mm
Adjustable levelling on one leg
⌀ of legs: 30 mm
Closed length: 153 cm
Diameter of base: 128 cm
Min. height: 139 cm
Max. height: 247 cm
Elevation: 2,2 cm per handle turn
Weight: 16 Kg
Load, approx.: 45 Kg
Attachment: type ⑥

103
104
104G



Art. 087U
3 SCT WIND-UP STAND

Similar to Art. 083 but with 3 section pole; both of the two risers extend simultaneously at an elevation of 4,4 cm per handle turn.
Adjustable levelling on one leg.
Min. height: 167 cm
Max. height: 380 cm
Diameter of poles: 50, 45 and 38 mm.
⌀ of legs: 30 mm
Diameter of the base: 128 cm
Weight: 21,3 Kg.
Load, max.: 40 Kg.
Attachment: type ⑭

103
104
104G



Art. 292
DISK BASE STAND

Chromium plated steel post: ⌀ 35 mm
Diameter of base: 350 mm
Height of light fixture: from ground level to 240 cm
Max. load: 8 Kg
Weight: 13 Kg
Attachments: type ①
and SPIGOT 013



Art. 231
SLIDING SUPPORT STAND

Chromium plated steel post: ⌀ 35 mm
Diameter of the base: 100 cm
Height of light fixture: from ground level to 250 cm
Complete with braked wheels.
Max. load: 8 Kg
Weight: 7,5 Kg
Attachment: type ①
and spigot 013.

Art. 024
LIGHT BOOM

Ø 25 mm, 3 section boom arm, complete with pivoting clamp 124, L-PESO 023, cable clips and locking key
Dismantled length: 71 cm.
Assembled length: 200 cm.
Weight 5,65 Kg. Attachment: type ㉕ and SPIGOT 013.

Art. 221
LONG BAR FOR 10 LIGHTS

To be mounted between two 083 or 087 stands.
Carries up to 10 heavy lighting fixtures.
Length: 3 m - Max. load: as allowed by the stands.
Weight: 19 Kg-Ten attachments type ⑭

Art. 169
FIVE SOCKET BRACKET

Bracket with 5 attachment type ⑥.
The lower ones complete with safety cable.
For lighting fixtures up to 5 units on a stand with 1-1/8'' female attachment.
Length: 100 cm. Weight: 6,1 Kg.



Art. 099 - EXTENSION

3 section extension for stands: Ø 25, 22 and 19 mm.
Fits on Ø 5/8'' stud.
Min. height: 88 cm. Max. height: 235 cm
Weight: 0,6 Kg. Attachment: type ① ⑲

Art. 142
HEAVY EXTENSION

2 section chromium plated steel extension for heavy stands: Ø 35 and 30 mm. - Fits on Ø 1-1/8'' socket.
Min. height: 125 cm.
Max. height: 210 cm.
Weight: 3,3 Kg. Attachment: type ⑭

Art. 146
3 SECTION EXTENSION FOR HEAVY STANDS

3 section chromium plated steel extension: Ø 35, 30 and 25 mm
Min height: 137 cm. Max height: 314 cm
Weight: 4,8 Kg.
Fits on diam. 1-1/8'' socket.
Attachment: type ⑭

Art. 025 - SUPER BOOM

Lighting unit, movements are remotely controlled.
Shaft Ø 35 mm, 270 cm long.
Complete with pivoting clamp 123, G-PESO 022, cable clips and CINE STAND 008 with casters.
Weight: 17,6 Kg, including the stand.
Attachment: type ⑰ and RAPIDAPTER 014.



Art. 154
MICROPHONE SUPPORT

Three type ① attachments + three SPIGOTS 013
Weight: 0,79 Kg. Diam. 25 × 650 mm

Art. 027
HOLDER

Holder for 8 lightstands. Width: 1150 mm.
Distance between fixing holes: 640 mm.
Depth 190 mm. Weight: 2,8 Kg



Art. 238
STUDIO WALL

Studio Wall is a new concept for transport and storage of tripods, lightstands, clamps, umbrellas, electric cables etc.
The STUDIO WALL is made of black waterproof 500 denier CORDURA and 6 mm thick aircell foam.
Size: 160 × 105 cm. Weight: 3,3 Kg

Art. 124



Pivoting clamp for Ø 19, 20, 25 and 28 mm boom shafts
Fits on tubes of the same diameter
Weight: 0,67 Kg

Art. 123



Pivoting clamp for Ø 35 mm boom shaft
Ø 1-1/8'' male and Ø 5/8'' attachment.
Weight: 0,72 Kg

Art. 087PA
PEG ADAPTER SET



For all stands 070, 083, 087, 269 and 270.
Weight: 0,6 Kg.

Art. 022 G-PESO

Counterweight. Clamps on Ø 22 to 35 mm
Weight: 6,7 Kg

Art. 023 L-PESO

Same as 022.
Weight: 4,3 Kg

Art. 093 (set of 4)

Cable clip, large. Clamps on Ø 28 to 40 mm.
Weight: 0,030 Kg

Art. 206 (set of 4)

Cable clip, Ø range: 25 to 28 mm. Weight: 0,020 Kg

Art. 064 (set of 4)

Cable clip, small. Clamps on Ø 18 to 25 mm. Weight: 0,020 Kg

Art. 089



Level leg Ø 25, steel
Fits on stands with Ø 22 and 30 mm legs
Length: 77 cm
Weight: 1,2 Kg

Art. 017

Caster set for stands with legs Ø 19 mm.
Weight: 0,45 Kg

Art. 018



Caster set for stands with legs Ø 22 mm.
Weight: 0,54 Kg

Art. 103



Wheel set Ø 80 mm, without brakes, with M 10 attachment.
Weight: 1,24 Kg

Art. 109



Wheel set Ø 80 mm, without brakes, with adapter for legs Ø 22 mm.
Weight: 1,43 Kg

Art. 104



Wheel set Ø 75 mm, with brakes and M 10 attachment.
Weight: 1,5 Kg

Art. 110



Wheel set Ø 75 mm, with brakes and adapter for legs Ø 22mm.
Weight 1,70 Kg.

Art. 104G



Wheel set diam. 100 mm, with brakes and M 10 attachment.
Weight: 3 Kg.

Art. 110G

Wheel set diam. 100 mm, with brakes and adapter for legs Ø 22 mm.
Weight: 3,20 Kg.



Art. 035 - SUPER CLAMP

Universal clamp. Clamps on tubes from 13 to 55 mm of diameter.
Attachment: ⌀ 5/8'' hex. socket and M5 + 1/4'' thread.
Weight: 0,41 Kg.

Art. 038
DOUBLE CLAMP

2 SUPER CLAMP
fastened at right angle
Weight: 0,83 Kg.



Art. 039
"U"-HOOKS

Cross bar holder set; plugs into SUPER CLAMP 035 socket
Width: 40 mm.
Weight: 0,16 Kg



Art. 059
B/P SINGLE HOOKS

Background paper holder set for one EXPAN 046 only
Plugs into SUPER CLAMP 035 socket
Weight: 0,42 Kg



Art. 040
NARROW "U" HOOKS

Narrow "U" cross bar holder set.
Plugs into
SUPER CLAMP 035
Width: 15 mm
Weight: 0,44 Kg



Art. 041 - "L"-BRACKETS

"L"-bracket shelf holder set. Plugs into SUPER CLAMP 035 socket 4 cm deep, 17 cm long.
Weight: 0,29 Kg



Art. 042
EXTENSION ARM

Plugs into SUPER CLAMP 035 socket
Length: 19,5 cm. Weight: 0,21 Kg
Attachment: type ①
and SPIGOT 013.



Art. 133
EXTENSION BAR

Used to fix 2 SUPER CLAMPS 035 at a distance of 15 cm between one and the other
Length: 16,5 cm. Weight: 0,1 Kg.



Art. 036-38 - LIGHT STUD 3/8

Plugs into SUPER CLAMP 035 socket. For lighting fixtures or to connect 2 SUPER CLAMPS 038 allowing a variable rotation.
⌀ 5/8'' stud and 3/8'' thread. Weight: 0,07 Kg

Art. 036-14 - LIGHT STUD 1/4

Same as 036-38 but with 1/4'' thread.

Art. 037 - CAMERA STUD

Plugs into SUPER CLAMP 035 socket.
To mount cameras, directly or with a camera head.
Attachments: 3/8'' and 1/4'' threads.
Weight: 0,04 Kg.



Art. 061 - JOINING STUD

Connects 2 SUPER CLAMPS 038 with 6-step fixed rotation. Weight: 0,025 Kg.

Art. 066 - DOUBLE FEMALE THREAD STUD

Plugs into SUPER CLAMP 035 socket 3/8'' and 1/4'' female threads. Weight: 0,025 Kg.



Art. 045
B/P TRIPLE HOOKS

Background paper holder set for three EXPAN 046. Can be fixed to a wall with supplied studs and screws, or to SUPER CLAMP 035 by means of supplied screw set.
Weight: 2,05 Kg.

Art. 044
B/P CLAMPS

Same as 045 but ready for use on AUTOPOLES
Weight: 2,85 Kg.



Art. 045-6 - B/P HOOKS

Pair of brackets for 6 EXPAN 046 sets. To be fixed to a wall with supplied screws. Weight: 4,4 Kg.

Art. 137 - SWIVELLING "C" CLAMP

360° locking swivel - Adjustable jaws from 28 to 78 mm
Rotating mounting attachment with type ⑭
Max. load 75 Kg on 1-1/8''; 10 Kg on 5/8'' - Weight: 1,62 Kg



Art. 137CB - SAFETY CABLE

Optional cable for 137
Length: 100 cm. Weight: 0,18 Kg

PATENTED





Art. 032
AUTOPOLE 2.1

Extends from 2,1 m to 3,7 m
Pole ⌀ 45 and 40 mm.
Weight: 2,2 Kg.

Art. 076
AUTOPOLE 1.5

Extends from 1,5 m to 2,7 m
Pole ⌀ 45 and 40 mm.
Weight: 1,83 Kg.

Art. 077
AUTOPOLE 1.0

Extends from 1,0 to 1,7 m
Pole ⌀ 45 and 40 mm.
Weight: 1,5 Kg.

Art. 033 - EXTEL

⌀ 40 mm extension tube for AUTOPOLE. Length: 2 m.
Weight: 0,69 Kg.

Art. 034 - EXTES

Same as above
Length: 1,5 m. Weight: 0,53 Kg.



Art. 252
AUTOPOLE ADAPTER

Grabs tube ⌀ 40 mm to ⌀ 45 mm.
Comes complete with four M10 screw and allows multitude connections to/from AUTOPOLE (i.e. Multitube System, fixtures etc.) Weight: 0,48 Kg.

Art. 032 BASE
BASE FOR AUTOPOLE

Accepts tubes ⌀ 45 mm
Diameter of the base: 126 cm
⌀ of legs/alu: 22 mm
Weight: 1,2 Kg
Closed height: 86 cm



Art. 171
MINI CLAMP

Clamps on bars up
to ∅ 35 mm
Weight: 0,16 Kg
∅ 5/8'' socket attachment



Art. 176
MINI "U" - HOOK

Pair of mini
"U"-HOOKS to fit into
Art. 171 MINI CLAMP
Weight: 0,1 Kg.



Art. 177
B/P MINI SINGLE-HOOKS

Pair of hooks for EXPAN 046
background paper holder, to fit on
Art. 171 MINI CLAMP
Weight: 0,1 Kg.



Art. 204
MINI "L" BRACKET

Pair of small
brackets to be
fitted on the MINI
CLAMP Art. 171
Sizes: 3×3×12 cm - Weight: 0,13 Kg



Art. 203
MINI EXTENSION ARM

Extension arm to be fitted on
the MINI CLAMP 171. - Length 12 cm
Attachments: type ① + SPIGOT 013
Weight: 0,15 Kg

Art. 172
MINI COUNTER-WEIGHT

Clamps on bars from ∅ 13 up
to 30 mm.
Weight: 1,3 Kg



Art. 196AC
MICRO CLAMP

Holds things thick
from 2 to 16 mm
Weight: 0,06 Kg
Attachment:
type ⑦



Art. 178
MINI CLIP

Set of 4 clips for
max thickness
of 6 mm
Weight: 0,02 Kg



Art. 201
ADJUSTABLE MINI CLAMP

(Set of 4 clips). Mini clip to hold
small panels.
Adjustable from 0 to 12,5 mm.
Weight: 0,03 Kg



Art. 046 - EXPAN

Background paper drive set for one roll.
Expands from ∅ 46 to 78 mm.
Weight: 1,3 Kg.

Art. 279
MOTOR FOR EXPAN

Additional motor
for the EXPAN.
Comes complete with power
supply cable.
Weight: 1,75 Kg



Art. 282
ONE MOTORIZED EXPAN

The set consists of one EXPAN with an attached motor and a 6
meter power supply cable.
Weight: 2,45 Kg.

Art. 287C
THREE MOTORIZED EXPAN SET

The set consists of:
- 3 MOTORIZED EXPAN (art. 282)
- 1 CABLE REMOTE CONTROL with a 5 m cable (art. 284C)
- 1 POWER SUPPLY UNIT 220 Volts/4 outputs (art. 285C)

Weight: 13,3 Kg
For 110 Volts POWER SUPPLY UNIT order code 285 CU.



Art. 091
EXPAN CHAIN

1 m extra chain for EXPAN 046 to lengthen the standard one.
Colors available: red, grey or black. Weight: 0,065 Kg.



Art. 091MC
EXPAN METALLIC CHAIN

Total length: 3,5 m. Available in grey, red
and black colors. Can replace the plastic
one on EXPAN 046. Weight: 0,6 Kg.



Art. 094
CHAIN STRETCHER

Weight: 0,3 Kg.



Art. 135
LIGHTING GANTRY BAR

For mounting lighting fixtures.
Length: 2 m. To be fixed between two AUTOPOLES
by means of Narrow "U" HOOKS 040.
Weight: 1 Kg. Measurements: 200×3,5×1,5 cm.



Art. 047-2
ALU-CORE

Aluminium core in 2 sections
∅ 5 cm for uncored background paper.
Has adhesive tape for sticking on the paper.
Weight: 1,28 Kg. Length: 275 cm

Art. 062-2
COUNTERWEIGHT

Counterweight for background paper in 2 sections.
Length: 275 cm. Weight: 0,85 Kg.



Art. 143F
FORK

Fork attachment for styrene gobos;
mounts on MAGIC ARM bracket.
Size 125×20 mm
Weight: 0,14 Kg



Art. 143FV
DOUBLE FORK VARIABLE ANGLE

To hold 2 styrene gobos
Weight: 0,5 Kg
Attachment type: ①



Art. 143FD
DOUBLE FORK

To hold 2 styrene gobos
Weight: 0,2 Kg



Art. 244
VARIABLE FRICTION ARM

Same features as per art. 143 but a large locking knobs takes place of the cam-lever. A variable friction and the locking of the arm is then obtained by acting on the knob. Comes complete with bracket only.
Weight: 1,09 Kg.



Art. 196 BASE
BASE FOR ARTICULATED ARM

Diam. of base:
var. max 48 cm
Weight: 2,2 Kg
Attachment type: ①



Art. 196
MINI ARTICULATED ARM

Length: 60 cm.
Attachments: 1/4'' and 3/8'' female threads + type ① ⑫
1/4'' male thread and adapter '148'.
Weight: 0,42 Kg.



Art. 233B
CAMERA BRACKET

2 section pole: diam. 16 and 19 mm
Min. height: 30 cm
Max. height: 45 cm
Max. load: 1 Kg
Weight: 0.44 Kg
Attachment: type ①
and SPIGOT 013.



Art. 143 - MAGIC ARM

Center lever locks all movements.
Length: 50 cm. Attachments to stand: type ⑰ with 3/8'' and 1/4'' female thread. Attachments to camera: type ① 1/4'' male thread and adapter '148'.
Comes complete with BACKLITE STAND 003 and SUPER CLAMP 035. Weight: arm alone 1,07 kg.
Arm, stand and SUPER CLAMP 035 2,55 Kg.



Art. 026 - LITE-TITE

Lite-Tite swivel and umbrella adapter. Accepts umbrella shafts up to ∅ 12 mm
Top and bottom type ①
plus 118 and 119 adapters
Weight: 0,32 Kg

Art. 155
TILT TOP HEAD

Double ball camera head/umbrella holder.
Attachments: 1/4'' and 3/8'' female threads + type ① ⑰
1/4'' male thread and adapter 148.
Height: 14,5 cm
Weight: 0,5 Kg.



Art. 175
SPRING CLAMP

Clamps on bars up to ∅ 40 mm. Weight: 0,32 Kg
Attachment: ∅ 5/8'' socket ①



Art. 043
SKY HOOK

Gaffer grip with adjustable jaws
Grasp from 25 to 65 mm
Attachments: type ①
and SPIGOT 013 type ㉒
Other version:
043R - SKY HOOK
with two attachments
type ㉒
Weight: 0,60 Kg



Art. 143S
FLASH SHOE

Attachment for mounting flash on MAGIC ARM.
Weight: 0,01 Kg



Art. 241
PUMP CUP

Suction cup for small fixtures and lightweight equipment.
Diameter: 150 mm
Attachment: 5/8'' bushing with safety pin.



Art. 170
MINI POLE

Spring loaded mini pole
Extends from 175 cm to 330 cm
Post ∅ 25 and 28 mm
Weight: 0,87 Kg

Art. 173
MINI BOOM

∅ 20 mm. boom shaft
Has a standard 5/8''-3/8'' attachment on one end, and 5/8''-1/4'' on the other end ⑱ ⑲
Length: 109 cm.
Weight: 0,32 Kg



Art. 220
STILL LIFE TABLE

Variable height: 63 or 83 cm
Size: 95 × 125 cm
Height: 193 cm
Tilting back
Weight: 18,6 Kg



Art. 205
REFLECTING PANEL

Width: 100 cm
Height, adjustable up to 200 cm
Complete with arm, pivoting clamp 123 and counterweight 022
Weight: 12 Kg

STAND ATTACHMENTS



1



2



3



4



5



6


⌀5/8
3/8W
7
1"
39
⌀1"1/8

14



7



8


3/8W
⌀3/8"
7
13
20

9



10


⌀9,1
1/4W
1/4
7/8
2"1/16
13/16
⌀5/8

11


⌀12
12,7
9,5
4
26,2

12



13



15



16



17


⌀5/8"
1/4W
7
2
16
1"

18


⌀5/8
3/8W
7
2
16
1"

19



20


⌀5/8"
5
11,5
8,5
11,5
5
41,5

21


⌀15,5
7,2
18,8
16
42

22



23



24



25



26



27


⌀5/8"
3/8W
7
43
50

28



29



30



31



32

ADAPTERS


⌀5/8"
3/8W
7
1"
3
1"
7
1/4W

013



014



014-14


3/8W
25
37,5
⌀5/8"

014BIM



015


1/4W
8
⌀12
52
39
⌀5/8"

016


⌀5/8"
3/8W
7
1"
⌀1"1/8

019


M 10
25
5
110
⌀1"1/8
⌀120

163-10



088


1/4W
7
26
7
3/8W

118


⌀5/8
1/4W
31
3/8W

119



148



149


⌀5/8
1/4W
7
1"
6
3/8W

151



152



153



158



182


⌀16
3/8W
7
43
4
3/8W

184


⌀5/8"
30
10
43
⌀17

185



186



187


⌀15,8
1/4W
1"
4
⌀3/8"

188


⌀25
⌀10,2
45
⌀16,2

189


3/8W
25
5
110
⌀1"1/8
⌀120

163-38



191



192


3/8W
⌀3/8"
7
13
37,5
⌀5/8"

193



194


1/4W
10
5
24
⌀5/8

195

Code	Article	Page
001	NANO STAND	2
002	PRIMO STAND	2
004	MASTER STAND	2
005	RANKER STAND	3
007U	ALU-CINE STAND	3
008U	CINE STAND	3
012	BACKLITE STAND	2
017	CASTER SET 19	5
018	CASTER SET 22	5
022	G-PESO	5
023	L-PESO	5
024	LIGHT BOOM	5
025	SUPER BOOM	5
026	LITE-TITE	8
027	HOLDER	5
032	AUTO POLE 2.1	6
032BASE	BASE FOR AUTOPOLE	6
033	EXTEL	6
034	EXTES	6
035	SUPERCLAMP	6
036-14	LIGHT STUD 1/4	6
036-38	LIGHT STUD 3/8	6
037	CAMERA STUD	6
038	DOUBLE CLAMP	6
039	“U”-HOOKS	6
040	NARROW “U”-HOOKS	6
041	“L”-BRACKETS	6
042	EXTENSION ARM	6
043	SKY HOOK	8
044	B/P CLAMPS	6
045	B/P TRIPLE HOOKS	6
045-6	B/P HOOKS	6
046	EXPAN	7
047-2	ALU-CORE	7
051	MINI COMPACT STAND	2
052	COMPACT STAND	2
053	GIANT STAND	2
059	B/P SINGLE HOOKS	6
060	SMALL STAND	2
061	JOINING STUD	6
062-2	COUNTERWEIGHT	7
064	CABLE CLIP SMALL	5
066	DOUBLE FEMALE THREAD STUD	6
070U	FOLLOW SPOT STAND	3
076	AUTOPOLE 1.5	6
077	AUTOPOLE 1.0	6
083U	WIND-UP STAND	4
083LB	LOW BASE WIND-UP STAND	4
085	LIGHT BOOM 35	4
087U	3 SCT WIND-UP STAND	4
087PA	PEG ADAPTER SET	5
089	LEVEL LEG	5
091	EXPAN CHAIN	7
091MC	EXPAN METALLIC CHAIN	7
093	CABLE CLIP LARGE	5
094	CHAIN STRETCHER	7
098	WALL BOOM	4
098SH	WALL BOOM SHORTER	4
099	EXTENSION	5

Code	Article	Page
103	WHEEL SET NORMAL	5
104	WHEEL SET NORMAL W/BRAKES	5
104/G	WHEEL SET NORMAL W/BRAKES	5
109	WHEEL SET W/ADAPTERS	5
110	WHEEL SET W/ADAPTERS & BRAKES	5
110G	WHEEL SET W/ADAPTERS & BRAKES	5
111U	TALL CINE STAND	3
123	PIVOTING CLAMP FOR SUPER BOOM	5
124	PIVOTING CLAMP FOR LIGHT BOOM	5
126U	HEAVY DUTY STAND	3
133	EXTENSION BAR FOR SUPERCLAMP	6
135	LIGHTING GANTRY BAR	7
137	SWIVELLING “C” CLAMP	6
137CB	SAFETY CABLE	6
142	HEAVY EXTENSION	5
143	MAGIC ARM	8
143F	FORK	7
143FD	DOUBLE FORK	7
143FV	DOUBLE FORK VARIABLE ANGLE	7
143S	FLASH SHOE	8
146	3 SECTION EXTENSION FOR HEAVY STANDS	5
154	MICROPHONE SUPPORT	5
155	TILT TOP HEAD	8
156	MINI-PRO STAND	2
169	FIVE SOCKET BRACKET	5
170	MINI POLE	8
171	MINI CLAMP	7
172	MINI COUNTERWEIGHT	7
173	MINI BOOM	8
175	SPRING CLAMP	8
176	MINI “U”-HOOK	7
177	MINI B/P SINGLE HOOKS	7
178	MINI CLIP	7
196	MINI ARTICULATED ARM	8
196BASE	BASE FOR ARTICULATED ARM	8
196AC	MICRO CLAMP	7
201	ADJUSTABLE MINI CLIP	7
203	MINI EXTENSION ARM	7
204	MINI “L”-BRACKET	7
205	REFLECTING PANEL	8
206	CABLE CLIP MEDIUM	5
220	STILL LIFE TABLE	8
221	LONG BAR FOR 10 LIGHTS	5
231	SLIDING SUPPORT STAND	4
233B	CAMERA BRACKET	8
238	STUDIO WALL	5
241	PUMP CUP	8
244	VARIABLE FRICTION ARM	8
252	AUTOPOLE ADAPTER	6
263	MEMORY COLLAR FOLDING BASE STAND	4
269U	SUPER STAND ALU	4
270U	SUPER STAND STEEL	4
279	MOTOR FOR EXPAN	7
282	ONE MOTORIZED EXPAN	7
287C	THREE MOTORIZED EXPAN SET	7
292	DISK BASE STAND	4
297	STEEL STUDIO STAND	3
298	ALU-STUDIO STAND	3
299	FOLDING BASE STUDIO STAND	3

VIDEO ACCESSORIES PTY. LTD.
6 ST. KILLIAN STREET
HAMPTON 3188
TELEPHONE: (03) 521 0495
FAX: (03) 521 0678

Tema Pubblicità / Printed in Italy by Grafiche Antiga / Copyright © 1990 Manfrotto

COD. CAT. G 01/90